

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



FIG. 1

Plasma Concentration -Time Profile N in Rats (n=3/timepoint)
Following po Administration (30 mg/kg)





FIG. 2



** P < 0.00001

* P < 0.05 vs vehicle

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

Cognition Test Results (Study 1)

SV = Sham Vehicle, SD = Sham Drug, IV = Injured Vehicle, ID = Injured Drug





FIG. 8

Composite Neuroscore (Study 1) – Compound A Effect at All Timepoints.

SV = Sham Vehicle, SD = Sham Drug, IV = Injured Vehicle, ID = Injured Drug




FIG. 9

SV = Sham Vehicle, SD = Sham Drug, IV = Injured Vehicle, ID = Injured Drug







FIG. 10

SV = Sham Vehicle, SD = Sham Drug, IV = Injured Vehicle, ID = Injured Drug











FIG. 11

Cognition Test Results (Study2.)




FIG. 12

Composite Neuroscore. All Injured Groups Different to Sham up to 2 wks.




FIG. 13

Beam Balance




FIG. 14

CA3 Cell counts and Lesion Volume:
All injured groups different from sham but not each other.




FIG. 15

T8 Hemisection 14 Day Study




FIG. 16

T8 Over-Hemisection 21 Day Study




FIG. 17

T8 Over-Hemisection 5 Week Study




FIG. 18

Contusion Model 14 Day Study




FIG. 19A




Vehicle

FIG. 19B



Compound A

FIG. 20A



Vehicle





FIG. 20B



Compound A




FIG. 21A




FIG. 21B




FIG. 21C




FIG. 21D

